This are the sourcecodes of two nearly exact the same sites with Joomla 3.7 and t3\_b3 – template.

This is the dynamically generated source code, where with the incorrect editor, i.e. without tabs

```
▼<div id="t3-content" class="t3-content col-xs-9"> == $0
    ▼<div class="edit item-page"
     ▼<form action="/index.php/article2?a_id=0" method="post" name="adminForm" id="adminForm" class="form-validate form-vertical">
        ▼<fieldset>
         ▼ 
             ::before
             ::after
           ▶ <div class="tab-content" id="com-content-formContent">...</div>
           <input type="hidden" name="return" value>
<input type="hidden" name="return" value>
<input type="hidden" name="b05145999a28d2efd670fe766263d918" value="1">
         </fieldset>
       >div class="btn-toolbar">...</div>
       </form>
     </div>
    </div>
    <!-- //MAIN CONTENT -->
```

This is the dynamically generated source code, where with the correct editor, i.e. with tabs. Here you can see the list for the tabs ("editor", "publishing"), in the upper case there is no such list.

```
▼<div id="t3-content" class="t3-content col-xs-12"> == $0
     <script type="text/javascript">...</script>
    ▼<div class="edit item-page">
     ▶ <div class="page-header">...</div>
     ▼<form action="/index.php/article?a_id=0" role="form" method="post" name="adminForm" id="adminForm" class="form-validate">
       ▼<fieldset>
        ▼<ul class="nav nav-tabs":
            ::before
          ▼
             <a href="#editor" data-toggle="tab" aria-expanded="true">Editor</a>
           ▼
             <a href="<u>#publishing</u>" data-toggle="tab" aria-expanded="false">Veröffentlichen</a>
            ▶...
          ▶...
           ::after
          ▶ <div class="tab-content">...</div>
        ▶ <div class="btn-toolbar">...</div>
          <input type="hidden" name="be046ab3af5e8949eb175ced7302d673" value="1">
        </fieldset>
       </form>
     </div>
    </div>
    <!-- //MAIN CONTENT -->
```